



# ARMA SIGHT™

STOP LOOKING. **START SEEING.**

MIL/LE PRODUCT GUIDE  
**2025**

[WWW.ARMA SIGHT.COM](http://WWW.ARMA SIGHT.COM)



In the world of Night Vision and Thermal Imaging, Armasight stands as a pioneering force, a brand that predates the mainstream adoption of these technologies. The story begins with Dmitry Rocklin, a visionary with over 30 years of invaluable experience in Night Vision and Thermal technology space. Armasight, initially a boutique brand, quickly evolved into an industry powerhouse.


Armasight emerged into the market, introducing groundbreaking products that would define the industry. Under Dmitry's leadership, the brand released the first commercially available Thermal Scopes and high-end Night Vision devices. These innovations marked Armasight as a leader in the field, garnering attention not only from enthusiasts but also from government agencies and organizations worldwide.

What sets Armasight apart is not just its technological prowess but the unwavering commitment to functionality and ease of use. We at Armasight understand the unique demands of professionals and enthusiasts who operate in low to no light conditions. Armasight products are designed to be reliable tools that seamlessly integrate into the user's experience, ensuring that the equipment doesn't distract from the critical tasks at hand.

One of Armasight's proudest achievements is being one of the very few Night Vision and Thermal manufacturers that can claim their products are "Designed and Built in the USA." This is more than a point of origin; it's a testament to Armasight's dedication to maintaining the highest standards of quality, durability, and dependability in every product we produce.



As Armasight looks to the future, the focus remains on product development and meeting the evolving needs of the community we serve. We recognize that trust is sacred in this realm, and above all, Armasight values the trust placed in its hands by customers. This trust is the driving force behind every innovation, every design choice, and every effort to deliver the best Night Vision and Thermal Imaging solutions to those who depend on them.



## DESIGNED AND BUILT IN THE USA\*

At Armasight, we take great pride in designing and building our products in the USA. This allows us to have full control over the manufacturing process and ensure that the highest quality materials are used. We are constantly seeking to improve and innovate our products to meet the evolving needs of our customers. Our team of experienced engineers and designers use state-of-the-art technology and innovative thinking to create products that are not only reliable and durable, but also perform at the highest level. We believe that our commitment to designing and building products in the USA, combined with our dedication to innovation and thought leadership, sets us apart from the competition and ensures that our customers receive the best equipment possible.



## OUR MISSION

At Armasight we provide outdoor enthusiasts, military and law enforcement agencies, and security professionals with high-quality equipment designed for optimal performance in any situation. Our products are built in the USA with durable materials and are easy to use, ensuring that they don't distract from the task at hand. We strive to build trust with our customers by providing dependable gear they can rely on in critical situations. We are committed to continuous innovation to meet the evolving needs of the community.

\*Armasight products are designed and built in the USA from global and domestic parts. Most Armasight products utilize up to 85% domestically sourced parts and are built in Tempe, AZ.

# THERMAL



- 06 CONTRACTOR TWS
- 08 COLLECTOR TWS
- 09 COMMANDER TWS
- 10 SIDEKICK MONOCULAR
- 11 WARDEN MONOCULAR
- 12 JOCKEY CLIP-ON
- 13 OPERATOR CLIP-ON

# NIGHT VISION



- 15 BNVD BINOCULARS
- 17 PVS-14 BRAVO + SIDEKICK 320 KIT
- 18 PVS-14 HP + SIDEKICK 640 KIT
- 20 PVS-14 MONOCULAR

# ACCESSORIES



- 22 WATCHMAN IR ILLUMINATOR
- 22 G95 MOUNT
- 22 BNVD-40/51 BATTERY PACK
- 22 MODULAR BRIDGE MOUNT
- 23 3x LENS FOR PVS-14
- 23 6x LENS FOR PVS-14
- 23 HELMET BAG
- 23 THERMAL ZEROING TARGET
- 24 EXFIL® LTP HELMET

# SWAG



- 26 SNAPBACK TRUCKER HAT
- 26 VINTAGE T-SHIRT
- 27 HEAT ACTIVATED MUG
- 27 US FLAG NV PATCH



THE THERMAL

# CONTRACTOR THERMAL WEAPON SIGHT

The Contractor Thermal Weapon Sight is built around our proprietary ArmaCORE 12 Micron Sensor and combines image processing, wireless communication interface, GPS, and internal memory in a single housing that yields a 40% reduction in size and 25% reduction in weight. This translates to pixel size reduction and increased resolution. All combined, the ArmaCORE features represent a 35% reduction in power consumption, allowing the units to run continuously for up to four hours on two CR123 batteries.

The Contractor series also offers an intuitive turret system that enables users to navigate features, such as digital zoom, color pallet and reticles quickly and intuitively to adapt to changing conditions and environments. The units come equipped with a digital compass and inclinometer that help calculate distance, direction and angles. Like all Armasight products, the Contractor is MIL-STD compliant—allowing for reliable use in all weather conditions.

## FEATURES

**NEW  
PRODUCT  
2025**



PIP  
MODE



VIDEO  
RECORD



IMAGE  
DETAIL  
ENHANCEMENT



8+  
RETICLES



MULTIPLE  
COLOR  
PALETTES



ARMACORE



IP67  
WATERPROOF

## PACKAGE INCLUDES

- Contractor TWS
- Quick Detach Mount
- USB-C Cable
- Thermal Zeroing Target
- 2 × CR123A Batteries
- Lens Cloth
- Soft Case
- Product Manual

### CONTRACTOR 320



**Lite 2-8 x 25mm**

TAVT33WN2CONTLT2

**3-12 x 25mm**

TAVT33WN2CONT10

**6-24 x 50mm**

TAVT33WN5CONT10

### CONTRACTOR 640



**2.3-9.2 x 35mm**

TAVT66WN3CONT102

**3-12 x 50mm**

TAVT66WN5CONT102

**4.8-19.2 x 75mm**

TAVT66WN7CONT102



# COLLECTOR THERMAL WEAPON SIGHT

The Collector's compact and lightweight design keeps your favorite .308, rimfire, airgun, or crossbow nimble and responsive, and the Collector's capabilities are optimized for use at the ranges these platforms are normally used. This unit boasts a fast 60Hz frame rate for smooth operation and industry-best, outstanding visual acuity, based on Armasight's Iron Wolf thermal technology platform. An extensive suite of features includes video and image capture, USB-C interface for viewing your recordings and photos on external devices such as computers. The Collector offers multiple color palettes, intuitive simple 3 button controls, multiple reticle types and colors, and long battery life.

## FEATURES



VIDEO RECORD



IMAGE DETAIL ENHANCEMENT



8+ RETICLES



MULTIPLE COLOR PAlettes



ARMACORE



IP67 WATERPROOF

### COLLECTOR 320



1.5-6 x 19mm

TAVT36WN9COLL102

### COLLECTOR 640



1-4 x 25mm

TAVT66WN2COLL102

### PACKAGE INCLUDES

- Collector TWS
- Quick Detach Mount
- USB-C Cable
- 2 x CR123A Batteries
- Lens Cloth
- Soft Case
- Product Manual






# COMMANDER THERMAL WEAPON SIGHT

The Commander 640 delivers powerful thermal imaging in a compact, lightweight design, keeping you agile across platforms—from .50 cal to rimfire, airgun, and crossbow. Designed for medium to short-range applications needing high-caliber stopping power, it's powered by Armasight's Iron Wolf technology and the ArmaCORE™ 640x480 thermal sensor, providing sharp, high-contrast visuals with a 1300-meter detection range. Built to withstand harsh conditions, it's IP67 waterproof-rated for durability in any environment.

Key features include video and image capture, USB video streaming, and a USB-C interface for easy content access. With multiple color palettes, simple 3-button controls, and customizable reticle options, the Commander 640 is your reliable, high-performance thermal optic for any mission.

**NEW  
PRODUCT  
2025**

## FEATURES



## COMMANDER 640



**1.5-6 x 35mm**

TAVT66CN3COMM102

## PACKAGE INCLUDES

- Commander TWS
- Quick Detach Mount
- USB-C Cable
- Thermal Zeroing Target
- 2 × CR123A Batteries
- Lens Cloth
- Soft Case
- Product Manual



# SIDEKICK THERMAL MONOCULAR

The Sidekick is the smallest fully multi-functional 12-micron thermal imaging monocular on the market. This unit boasts a fast 60Hz frame rate for smooth operation and industry-best, outstanding visual acuity, based on Armasight's Iron Wolf thermal technology platform. Weighing under 250 grams, the Sidekick can be used as a handheld mini-monocular or can be headset/helmet mounted utilizing the built-in mini-rail for hands-free operation. The high definition 1024x768 OLED display provides a crisp image, with iconography providing key information. The Sidekick utilizes simplified 3 button controls that allow for easy manipulation in the field and offers one-touch in-unit video recording to capture all of your experiences.

## FEATURES



PIP  
MODE



VIDEO  
RECORD



IMAGE  
DETAIL  
ENHANCEMENT



LIGHTWEIGHT



MULTIPLE  
COLOR  
PALETTES



ARMACORE



IP67  
WATERPROOF


### SIDEKICK 320



1x, 9.1mm

TAVT36MNASIDE101

### SIDEKICK 640



1x, 19mm

TAVT66MN9SIDE101

### PACKAGE INCLUDES

- Sidekick Monocular
- Battery Extender
- USB-C Cable
- 2 x CR123A Batteries
- Lens Cloth
- Soft Case
- Product Manual



# WARDEN THERMAL MONOCULAR

The Warden 640 delivers precision and power in a compact, lightweight design, keeping users agile across applications like scouting, search and rescue, surveillance, hunting, and law enforcement. With a wide 22° x 18° field of view, it efficiently scans large areas.

Powered by Armasight's Iron Wolf platform and the ArmaCORE™ 640×480 thermal sensor, the Warden 640 provides clear, high-contrast imagery at a smooth 60Hz frame rate. The 35mm germanium lens extends detection range up to 1300 meters, even in total darkness, fog, and adverse weather. Fully waterproof with an IP67 rating, it's built for harsh conditions.

Additional features include video and image capture, USB video streaming, multiple color palettes, and easy 3-button controls. When reliability and rugged performance are essential, count on the Warden 640.

**NEW  
PRODUCT  
2025**

## FEATURES



## WARDEN 640



## PACKAGE INCLUDES

- Warden Thermal Monocular
- Neck Lanyard
- USB-C Cable
- 2 × CR123A Batteries
- Lens Cloth
- Soft Case
- Product Manual

**2-8 x 35mm**

TAVT66CN3WARD102



# JOCKEY THERMAL CLIP-ON

The Jockey easily mounts in front of your existing 1-6x day scope with no additional zeroing required, working flawlessly with most optics under 5x magnification. The Jockey's compact and lightweight design keeps your favorite .308, rimfire, airgun, or crossbow nimble and responsive. This unit boasts a fast 60Hz frame rate for smooth operation and industry-best, outstanding visual acuity, based on Armasight's Iron Wolf thermal technology platform. An extensive suite of features includes video and image capture, USB-C interface for viewing your recordings and photos on external devices such as computers. The Jockey offers multiple color palettes, intuitive simple 3 button controls, a quick detach mount, and long battery life.

## FEATURES



PIP  
MODE



VIDEO  
RECORD



IMAGE  
DETAIL  
ENHANCEMENT



LIGHTWEIGHT



MULTIPLE  
COLOR  
PALETTES



ARMACORE



IP67  
WATERPROOF

### JOCKEY 320



1x, 19mm

TAVT36CN9JOCK102

### JOCKEY 640



1x, 25mm

TAVT66CN2JOCK102

### PACKAGE INCLUDES

- Jockey Clip-On
- Quick Detach Mount
- USB-C Cable
- Light Suppressor
- Thermal Zeroing Target
- 2 × CR123A Batteries
- Lens Cloth
- Soft Case
- Product Manual



# OPERATOR THERMAL CLIP-ON

The Operator Thermal Clip-On is a powerful addition to any military, law enforcement or hunter's toolkit. Mounting effortlessly in front of your 1-6x day scope with no need for re-zeroing, it's ready for action right out of the box. Equipped with a 35 mm germanium lens and the ArmaCore 640x480 thermal sensor, it provides clear imagery and a detection range of up to 1300 meters – even in complete darkness, fog, smoke, and harsh weather.

Ideal for hunting, patrolling, or overwatch, the Operator offers video/image capture, multiple color palettes, and USB-C connectivity for easy viewing. With its quick-detach mount, intuitive controls, and long battery life, this unit ensures you stay mission-ready in any environment.

**NEW  
PRODUCT  
2025**

## FEATURES



## OPERATOR 640



**1x, 35mm**

TAVT66CN30PER102

## PACKAGE INCLUDES

- Operator Clip-On
- Quick Detach Mount
- USB-C Cable
- Thermal Zeroing Target
- 2 × CR123A Batteries
- Lens Cloth
- Soft Case
- Product Manual





# BNVD NIGHT VISION BINOCULARS

The Gen 3 BNVD Night Vision Binocular offers white phosphor image intensifier tubes and a built-in infrared (IR) illuminator, enabling navigation and reading in complete darkness. It comes in either 40-degree or 51-degree field of view (FOV) versions, and its tough, compact, fog- and water-resistant housing meets military and law enforcement performance standards for maximum situational awareness. Additional mounting options (sold separately) allow for helmet-mounted use, and the BNVD can be configured as a monocular over either eye with articulation. The manual gain control adjusts brightness, and an automatic protective system safeguards the Image Intensifier Tubes (IIT) under changing light conditions.

## FEATURES

					
ARTICULATING OCULAR	IP67 WATERPROOF	LONG BATTERY LIFE	HI-RES HIGH RESOLUTION	40° FIELD OF VIEW	51° FIELD OF VIEW

### BNVD-40



**GHOST WHITE  
+ BATTERY PACK**

NSGNYX15M4G90BB2

**ULTIMATE KIT**

M/L: KBNVD4GXULTIMBB1  
XL: KBNVD4GXULTIMBB2

### BNVD-51



**GHOST WHITE  
+ BATTERY PACK**

NSGNYX15M5G90BB2

**ULTIMATE KIT**

M/L: KBNVD5GXULTIMBB1  
XL: KBNVD5GXULTIMBB2

### BNVD-40/51 + BATTERY PACK PACKAGE INCLUDES

- BNVD NVG
- Battery Pack
- Lens Caps
- Eyecups
- Sacrificial Windows
- Demist Shields
- NVG (Dovetail) Interface Shoe
- Bayonet/Horn Interface Shoe
- Battery Key
- Product Manual
- Lens Cloth
- Soft Carrying Case
- CR123A battery

### BNVD-40/51 ULTIMATE KIT PACKAGE INCLUDES

- BNVD NVG
- Armasight Bump Helmet
- OTTE Gear Night Vision Helmet Bag
- Armasight G95 NVG Helmet Mount
- Watchman IR Illuminator
- 30mm Ring Mount
- Battery Pack #206 for BNVD
- Lens Caps
- Eyecups
- Sacrificial Windows
- Demist Shields
- NVG (Dovetail) Interface Shoe
- Bayonet/Horn Interface Shoe
- Product Manual
- CR123A battery





# PVS-14 BRAVO + SIDEKICK 320 KIT

## NIGHT VISION MONOCULAR + THERMAL MONOCULAR

In the world of night vision and thermal imaging, precision, adaptability, and innovation are paramount. The Armasight Night Vision and Thermal Modular Kit, with Rayvn Rail System revolutionizes the way you engage with your night vision and thermal devices. This groundbreaking system is meticulously designed to bring out the full potential of two exceptional products: the Gen 3 Armasight PVS-14 Multi-Purpose NV Monocular and the Sidekick Thermal Imaging Monocular.

Don't compromise on your gear; elevate your capabilities with the Armasight Night Vision and Thermal Modular kit. Whether you're navigating the darkest night or surveilling challenging terrain, our system ensures you're always ready to face the unknown head-on.

Your mission demands the best—demand the Armasight advantage.

### PVS-14 BRAVO + SIDEKICK 320 KIT




#### PVS-14 BRAVO + SIDEKICK 320 KIT [M/L]

KPVS14GXSIDE3BB1

#### PVS-14 BRAVO + SIDEKICK 320 KIT [XL]

KPVS14GXSIDE3BB2

### FEATURES



### PACKAGE INCLUDES

- PVS-14 Night Vision Monocular
- Sidekick 320 Mini Thermal Monocular
- Armasight Bump Helmet
- OTTE Gear Night Vision Helmet Bag
- Armasight G95 NVG Helmet Mount
- Armasight by Rayvn Group Modular Bridge Mount, Rail System + 2 Pods
- 3x Mag Lens
- Lens Cap
- Eyecup
- Sacrificial Window
- Demist Shield
- Product Manual
- Lens Cloth
- AA Battery + CR 123

# PVS-14 HIGH PERFORMANCE + SIDEKICK 640 KIT

## NIGHT VISION MONOCULAR + THERMAL MONOCULAR

Experience the future of night vision and thermal imaging with the Armasight Night Vision and Thermal Modular Kit featuring the Rayvn Rail System. Designed to enhance the performance of the Gen 3 Armasight PVS-14 NV Monocular and the Sidekick Thermal Imaging Monocular, this innovative system offers unmatched adaptability and precision in the field.

With fully articulating mounts and Inter-Pupillary Distance (IPD) adjustability, you can seamlessly switch between devices without missing a beat. Whether for tactical missions, surveillance, or navigation in low light, this kit ensures you're always prepared.

Elevate your gear—choose the Armasight advantage.

### PVS-14 HIGH PERFORMANCE + SIDEKICK 640 KIT



#### PVS-14 HP + SIDEKICK 640 KIT (M/L)

KPVS14GXSIDE6BB1

#### PVS-14 HP + SIDEKICK 640 KIT (XL)

KPVS14GXSIDE6BB2

### FEATURES



LIGHTWEIGHT



IP67  
WATERPROOF



LONG  
BATTERY  
LIFE



HIGH  
RESOLUTION



HIGH  
SIGNAL TO  
NOISE



PIP  
MODE



VIDEO  
RECORD



IMAGE  
DETAIL  
ENHANCEMENT



MULTIPLE  
COLOR  
PALETTES



ARMACORE

### PACKAGE INCLUDES

- PVS-14 Night Vision Monocular
- Sidekick 640 Mini Thermal Monocular
- Armasight Bump Helmet
- OTTE Gear Night Vision Helmet Bag
- Armasight G95 NVG Helmet Mount
- Armasight by Rayvn Group Modular Bridge Mount, Rail System + 2 Pods
- 3x Mag Lens
- Lens Cap
- Eyecup
- Sacrificial Window
- Demist Shield
- Product Manual
- Lens Cloth
- AA Battery + CR 123



# PVS-14 NIGHT VISION MONOCULAR

The popular Gen 3 Armasight PVS-14 NV Monocular is a significant force multiplier while operating in low light, with improved performance and picture quality. It offers a choice between Bravo image intensifier tubes with a minimum of 1400+ FOM or premium High Performance 1800+ FOM tubes, both in Ghost White

Phosphor. The PVS-14 is a versatile handheld or head-mounted monocular, and is compatible with various accessories. It features an integrated infrared illuminator and manual gain control for brightness adjustment.

## PVS-14



**BRAVO GHOST WHITE  
+ 3x LENS**  
NAMPVS1401G9DABB1

**HP GHOST WHITE  
+ 3x LENS**  
NAMPVS1401G9DBB1

## FEATURES



LIGHTWEIGHT



IP67  
WATERPROOF



LONG  
BATTERY  
LIFE



HI-RES  
HIGH  
RESOLUTION



SNR  
HIGH  
SIGNAL TO  
NOISE

## PACKAGE INCLUDES

- PVS-14 Night Vision Monocular
- 3x Mag Lens
- Lens Cap
- Eyecup
- Sacrificial Window
- Demist Shield
- Tethering Cord
- J-Arm Helmet/Head Mount Adapter
- Head Mount Assembly
- Product Manual
- Lens Cloth
- Soft Carrying Case
- AA Battery
- 3yr Ltd Warranty w/ Registration




# ACCESSORIES

## WATCHMAN IR ILLUMINATOR



10IRWATCHMANRE1

## BNVD-40/51 BATTERY PACK



BNVD-40 BP: BB3XXDOVN20XX40

BNVD-51 BP: BB4XXDOVN20XX51

## G95 MOUNT - DESIGNED & MANUFACTURED BY WILCOX INDUSTRIES



28300695

## RAYVN GROUP MODULAR BRIDGE MOUNT



ANTHMRGBRDGE01

### 3x LENS FOR PVS-14



ANAF3XPVS14

### HELMET BAG




AGSC0GBAG1

### 6x LENS FOR PVS-14



ANAF6PVS14

### THERMAL ZEROING TARGET - 10 PACK



AGTGTZE010

# ARMASIGHT BUMP HELMET

The Armasight Bump Helmet is designed to deliver lightweight protection and maximum functionality for demanding environments. Engineered for impact resistance, it provides a stable and comfortable platform for mounting night vision devices and mission-critical accessories.

The helmet includes a built-in shroud with an integrated aluminum insert for secure and reliable mounting. Its advanced foam liner ensures optimal impact

protection, while the adjustable retention system offers a snug, custom fit with simple, precise adjustments.

Whether you're navigating challenging terrain or engaging in tactical operations, the Armasight Bump Helmet offers the durability, comfort, and versatility you need to stay focused on the mission. Rugged, reliable, and ready for any environment.

## BUMP HELMET



**SIZE: M/L**

72-R3-81S

**SIZE: XL**

72-R3-82S



**SWAG**



## SNAPBACK TRUCKER HAT



**SIZE S/M/L/XL:** AAHASBBOXX

## VINTAGE T-SHIRT



**SIZE S:** AATSVINSXX / **SIZE M:** AATSVINMXX / **SIZE L:** AATSVINLXX  
**SIZE XL:** AATSVINXLX / **SIZE 2X:** AATSVIN2XL / **SIZE 3X:** AATSVIN3XL

## HEAT ACTIVATED MUG



APMGTHBOXX

## US FLAG NV PATCH



AGPCUSM001

**NEW!**

	CONTRACTOR 320 Lite 2-8 × 25mm	CONTRACTOR 320 3-12 × 25mm	CONTRACTOR 320 6-24 × 50mm	CONTRACTOR 640 2.3-9.2 × 35mm	CONTRACTOR 640 3-12 × 50mm	CONTRACTOR 640 4.8-19.2 × 75mm	COLLECTOR 320 1.5-6 × 19mm
<b>DETECTOR TYPE</b>	ArmaCORE 320x240 12um Thermal Core	ArmaCORE 320x240 12um Thermal Core	ArmaCORE 320x240 12um Thermal Core	ArmaCORE 640x480 12um Thermal Core	ArmaCORE 640x480 12um Thermal Core	ArmaCORE 640x480 12um Thermal Core	ArmaCORE 320x240 12um Thermal Core
<b>REFRESH RATE</b>	60 Hz	60 Hz	60 Hz	60 Hz	60 Hz	60 Hz	60 Hz
<b>DETECTION RANGE</b>	932m on Human Sized Target	932m on Human Sized Target	1,865m on Human Sized Target	1,305m on Human Sized Target	1,865m on Human Sized Target	2,797m on Human Sized Target	708m on Human Sized Target
<b>EYE RELIEF</b>	45mm	45mm	45mm	45mm	45mm	45mm	45mm
<b>FIELD OF VIEW (HxW)</b>	8.80° × 6.60°	8.80° × 6.60°	4.40° × 3.30°	12.57° × 9.43°	8.8° × 6.6°	5.87° × 4.4°	18.18° × 13.73°
<b>OPTICAL MAGNIFICATION</b>	2x	3.2x	6.4x	2.24x	3.2x	4.8x	1.5x
<b>DIGITAL ZOOM</b>	1x - 4x	1x - 4x	1x - 4x	1x - 4x	1x - 4x	1x - 4x	1x - 4x
<b>DISPLAY</b>	XGA (1024x768) OLED	XGA (1024x768) AMOLED	XGA (1024x768) AMOLED	XGA (1024x768) AMOLED	XGA (1024x768) AMOLED	XGA (1024x768) AMOLED	XGA (1024x768) OLED
<b>WIRELESS</b>	N/A	WiFi, Bluetooth 5.0	WiFi, Bluetooth 5.0	WiFi, Bluetooth 5.0	WiFi, Bluetooth 5.0	WiFi, Bluetooth 5.0	N/A
<b>GRAPHICS</b>	Active On-Screen Graphics	Active On-Screen Graphics	Active On-Screen Graphics	Active On-Screen Graphics	Active On-Screen Graphics	Active On-Screen Graphics	Active On-Screen Graphics
<b>RECOIL RATING</b>	Up to .50 cal	Up to .50 cal	Up to .50 cal	Up to .50 cal	Up to .50 cal	Up to .50 cal	Up to .308 cal
<b>LENS SYSTEM</b>	F/1.00; 25mm Manual Focus	F/1.00; 25mm Manual Focus	F/1.00; 50mm Manual Focus	F/1.00; 35mm Manual Focus	F/1.00; 50mm Manual Focus	F/1.00; 75mm Manual Focus	F/1.00; 19mm Fixed Focus
<b>DIOPTER ADJUSTMENT</b>	-5 to +5 dpt	-5 to +5 dpt	-5 to +5 dpt	-5 to +5 dpt	-5 to +5 dpt	-5 to +5 dpt	-5 to +5 dpt
<b>POWER SUPPLY</b>	2 × CR123A (3V)	2 × CR123A (3V)	2 × CR123A (3V)	2 × CR123A (3V)	2 × CR123A (3V)	2 × CR123A (3V)	2 × CR123A (3V)
<b>BATTERY LIFE (HOURS)</b>	Up to 4h at 20°C (68°F)	Up to 4h at 20°C (68°F)	Up to 4h at 20°C (68°F)	Up to 4h at 20°C (68°F)	Up to 4h at 20°C (68°F)	Up to 4h at 20°C (68°F)	Up to 4h at 20°C (68°F)
<b>ENVIRONMENTAL RATING</b>	IP67	IP67	IP67	IP67	IP67	IP67	IP67
<b>OPERATING TEMPERATURE</b>	-40° C to +50° C [-40° F to +122° F]	-40° C to +50° C [-40° F to +122° F]	-40° C to +50° C [-40° F to +122° F]	-40° C to +50° C [-40° F to +122° F]	-40° C to +50° C [-40° F to +122° F]	-40° C to +50° C [-40° F to +122° F]	-40° C to +50° C [-40° F to +122° F]
<b>DIMENSIONS (mm/in)</b>	188 × 88 × 87mm / 7.38 × 3.48 × 3.42in	188 × 88 × 87mm / 7.38 × 3.48 × 3.42in	205 × 88 × 87mm / 8.05 × 3.48 × 3.42in	239 × 95 × 87mm / 9.40 × 3.73 × 3.42in	239 × 95 × 87mm / 9.40 × 3.73 × 3.42in	227 × 101 × 89mm / 8.93 × 3.97 × 3.51in	172 × 77 × 78mm / 6.76 × 3.04 × 3.06in
<b>WEIGHT (kg/lbs)</b>	750g / 1.65lbs	750g / 1.65lbs	868g / 1.91lbs	810g / 1.79lbs	908g / 2.00lbs	1044g / 2.30lbs	476g / 1.05lbs with mount
<b>WARRANTY</b>	3 Years with Registration	3 Years with Registration	3 Years with Registration	3 Years with Registration	3 Years with Registration	3 Years with Registration	3 Years with Registration

**THERMAL SPECS**

NEW!

NEW!

NEW!

	COLLECTOR 640 1-4 × 25mm	SIDEKICK 320 1-4 × 9.1mm	SIDEKICK 640 1-4 × 19mm	JOCKEY 320 1-4 × 19mm	JOCKEY 640 1-4 × 25mm	COMMANDER 640 1.5-6 × 35mm	WARDEN 640 2-8 × 35mm	OPERATOR 640 1-4 × 35mm
<b>DETECTOR TYPE</b>	ArmaCORE 640x480 12um Thermal Core	ArmaCORE 320x240 12um Thermal Core	ArmaCORE 640x480 12um Thermal Core	ArmaCORE 320x240 12um Thermal Core	ArmaCORE 640x480 12um Thermal Core	ArmaCORE 640x480 12um Thermal Core	ArmaCORE 640x480 12um Thermal Core	ArmaCORE 640x480 12um Thermal Core
<b>REFRESH RATE</b>	60 Hz	60 Hz	60 Hz	60 Hz	60 Hz	60 Hz	60 Hz	60 Hz
<b>DETECTION RANGE</b>	932m on Human Sized Target	331m on Human Sized Target	709m on Human Sized Target	708m on Human Sized Target	932m on Human Sized Target	1,300m on a Human Sized Target	1,300m on a Human Sized Target	1,305m on a Human Sized Target
<b>EYE RELIEF</b>	45mm	15mm	15mm	N/A	N/A	45mm	15mm	N/A
<b>FIELD OF VIEW (HxW)</b>	18.18° × 13.73°	24.18° × 18.13°	24.16° × 17.37°	11.58° × 8.69°	17.6° × 13.2°	18° × 14°	22° × 18°	12.6° × 9.4°
<b>OPTICAL MAGNIFICATION</b>	1x	1x	1x	1x	1x	1.5x	2x	1x
<b>DIGITAL ZOOM</b>	1x - 4x	1x - 4x	1x - 4x	1x - 4x	1x - 4x	1x - 4x	1x - 4x	1x - 4x
<b>DISPLAY</b>	XGA (1024x768) OLED	XGA (1024x768) OLED	XGA (1024x768) OLED	XGA (1024x768) OLED	XGA (1024x768) OLED	XGA (1024x768) OLED	XGA (1024x768) OLED	XGA (1024x768) OLED
<b>WIRELESS</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>GRAPHICS</b>	Active On-Screen Graphics	Active On-Screen Graphics	Active On-Screen Graphics	Active On-Screen Graphics	Active On-Screen Graphics	Active On-Screen Graphics and Iconology	Active On-Screen Graphics and Iconology	Active On-Screen Graphics and Iconology
<b>RECOIL RATING</b>	Up to .308 cal	N/A	N/A	Up to .308 cal	Up to .308 cal	Up to .50 cal	N/A	Up to .50 cal
<b>LENS SYSTEM</b>	F/1.00; 25mm Manual Focus	F/1.00; 9.1mm Fixed Focus	F/1.00; 19mm Manual Focus	F/1.00; 19mm Manual Focus	F/1.00; 25mm Manual Focus	F/1.00; 35mm Manual focus	F/1.00; 35mm Manual focus	F/1.00; 35mm Manual focus
<b>DIOPTER ADJUSTMENT</b>	-5 to +5 dpt	-5 to +5 dpt	-5 to +5 dpt	N/A	N/A	-5 to +5 dpt	-5 to +5 dpt	N/A
<b>POWER SUPPLY</b>	2 × CR123A (3V)	2 × CR123A (3V)	2 × CR123A (3V)	2 × CR123A (3V)	2 × CR123A (3V)	2 × CR123A (3V)	2 × CR123A (3V)	2 × CR123A (3V)
<b>BATTERY LIFE (HOURS)</b>	Up to 4h at 20°C (68°F)	Up to 5.5h at 20°C (68°F)	Up to 5.5h at 20°C (68°F)	Up to 4h at 20°C (68°F)	Up to 4h at 20°C (68°F)	4 hours at 20°C (68°F)	4 hours at 20°C (68°F)	4 hours at 20°C (68°F)
<b>ENVIRONMENTAL RATING</b>	IP67	IP67	IP67	IP67	IP67	IP67	IP67	IP67
<b>OPERATING TEMPERATURE</b>	-40° C to +50° C [-40° F to +122° F]	-40° C to +50° C [-40° F to +122° F]	-40° C to +50° C [-40° F to +122° F]	-40° C to +50° C [-40° F to +122° F]	-40° C to +50° C [-40° F to +122° F]	-40° C to +50° C [-40° F to +122° F]	-40° C to +50° C [-40° F to +122° F]	-40° C to +50° C [-40° F to +122° F]
<b>DIMENSIONS (mm/in)</b>	172 × 77 × 78mm / 6.76 × 3.04 × 3.06in	99 × 65 × 60mm / 3.89 × 2.57 × 2.35in	105 × 65 × 60mm / 4.13 × 2.57 × 2.35in	140 × 77 × 78mm / 5.50 × 3.04 × 3.06in	147 × 77 × 78mm / 5.79 × 3.04 × 3.06in	241 × 92 × 84mm / 9.48 × 3.61 × 3.32in	140 × 76 × 84mm / 5.5 × 2.98 × 3.32in	154 × 82 × 84mm / 6.05 × 3.24 × 3.32in
<b>WEIGHT (kg/lbs)</b>	492g / 1.08lbs with mount	214g / 0.47lbs	254g / 0.56lbs	384g / 0.85lbs	398g / 0.88lbs	632g / 1.39lbs	448g / 0.99lbs	473g / 1.04lbs
<b>WARRANTY</b>	3 Years with Registration	3 Years with Registration	3 Years with Registration	3 Years with Registration	3 Years with Registration	3 Years with Registration	3 Years with Registration	3 Years with Registration

THERMAL SPECS

	BNVD-40	BNVD-51	PVS-14 Bravo	PVS-14 HP
<b>IMAGE INTENSIFIER TUBE</b>	Gen 3 Manual Gain Control FOM<1600+	Gen 3 Manual Gain Control FOM<1600+	Gen 3 Bravo Manual Gain Control FOM<1400+	Gen 3 HP Manual Gain Control FOM<1800+
<b>RESOLUTION</b>	64-81 lp/mm	64-81 lp/mm	64-81 lp/mm	64-81 lp/mm
<b>ZONE 1 SPOTS MAX ALLOWED</b>	No Spots of 0.003" or Greater Allowed	No Spots of 0.003" or Greater Allowed	0 0.009" to 0.012" / 0 0.006" to 0.009" / 1 - 0.003" to 0.006"	No Spots of 0.003" or Greater Allowed
<b>ZONE 2 SPOTS MAX ALLOWED</b>	0 0.009" to 0.012" / 1 0.006" to 0.009" / 2 - 0.003" to 0.006"	0 0.009" to 0.012" / 1 0.006" to 0.009" / 2 - 0.003" to 0.006"	1 0.009" to 0.012" / 1 0.006" to 0.009" / 2 - 0.003" to 0.006"	0 0.009" to 0.012" / 1 0.006" to 0.009" / 2 - 0.003" to 0.006"
<b>ZONE 3 SPOTS MAX ALLOWED</b>	0 0.009" to 0.012" / 1 0.006" to 0.009" / 3 - 0.003" to 0.006"	0 0.009" to 0.012" / 1 0.006" to 0.009" / 3 - 0.003" to 0.006"	1 0.009" to 0.012" / 2 0.006" to 0.009" / 3 - 0.003" to 0.006"	0 0.009" to 0.012" / 1 0.006" to 0.009" / 3 - 0.003" to 0.006"
<b>BRIGHT LIGHT CUT-OFF</b>	Yes	Yes	Yes	Yes
<b>INFRARED ILLUMINATOR</b>	Yes (Built-In)	Yes (Built-In)	Yes (Built-In)	Yes (Built-In)
<b>IR INDICATOR</b>	Yes (in FOV)	Yes (in FOV)	Yes (in FOV)	Yes (in FOV)
<b>MAGNIFICATION</b>	1x	1x	1x	1x
<b>LENS SYSTEM</b>	F/1.2; 27mm	F/1.26; 19mm	F/1.2; 27mm	F/1.2; 27mm
<b>FIELD OF VIEW (DEGREES)</b>	40°	51°	40°	40°
<b>FOCUS RANGE</b>	0.25m to Infinity	0.25m to Infinity	0.25m to Infinity	0.25m to Infinity
<b>DIOPTER ADJUSTMENT</b>	-6 to +2 dpt	-6 to +2 dpt	-6 to +2 dpt	-6 to +2 dpt
<b>POWER SUPPLY</b>	1 × CR123A (3V) or 1x AA (1.5V) Battery	1 × CR123A (3V) or 1x AA (1.5V) Battery	1 × AA (1.5V) Battery	1 × AA (1.5V) Battery
<b>BATTERY LIFE</b>	12 Hours (1.5V) / 20 Hours (3V) at 20° C	12 Hours (1.5V) / 20 Hours (3V) at 20° C	50 Hours	50 Hours
<b>ENVIRONMENTAL RATING</b>	IP67	IP67	IP67	IP67
<b>OPERATING TEMPERATURE</b>	-51° C to +49° C [-60° F to + 120° F]	-51° C to +49° C [-60° F to + 120° F]	-51° C to +49° C [-60° F to + 120° F]	-51° C to +49° C [-60° F to + 120° F]
<b>STORAGE TEMPERATURE</b>	-51° C to +85° C [-60° F to + 185° F]	-51° C to +85° C [-60° F to + 185° F]	-51° C to +85° C [-60° F to + 185° F]	-51° C to +85° C [-60° F to + 185° F]
<b>DIMENSIONS (mm/in)</b>	137 × 73 × 118mm / 5.4 × 2.8 × 4.6in	137 × 73 × 118mm / 5.4 × 2.8 × 4.6in	114 × 51 × 57mm / 4.5 × 2x 2.25in	114 × 51 × 57mm / 4.5 × 2x 2.25in
<b>WEIGHT (kg/lbs)</b>	0.64kg / 1.4lbs	0.64kg / 1.4lbs	0.35kg / 12.4oz	0.35kg / 12.4oz
<b>WARRANTY</b>	3 Years with Registration	3 Years with Registration	3 Years with Registration	3 Years with Registration

# ARMASIGHT: YOUR TRUSTED PARTNER IN MILITARY, LAW ENFORCEMENT, AND GOVERNMENT PROCUREMENT

Armasight is proud to be a trusted provider of advanced thermal and night vision solutions for military, law enforcement, and government agencies across the globe. Our commitment to innovation, reliability, and superior performance has made us the go-to choice for professionals operating in critical, high-stakes environments.

We understand the unique demands of our military, law enforcement, and government customers, and our mission is to equip you with the cutting-edge tools you need to succeed—whether in tactical operations, surveillance, search and rescue, or mission-critical deployments.

## Why Choose Armasight?

- **Built for Professionals:** Our thermal and night vision optics are designed with input from military and law enforcement operators, ensuring practical, field-tested functionality.
- **Advanced Technology:** Powered by Armasight's proprietary Iron Wolf thermal technology, our products offer superior visual clarity, high-resolution imaging, and rugged durability for extreme environments.
- **US-Based Engineering and Manufacturing:** Our products are proudly designed and built in the USA, meeting the highest standards of quality and performance.

## Government Procurement Made Simple

For Military, Law Enforcement, and Government procurement, Armasight has partnered with **USIQ** to provide streamlined, efficient acquisition of our products through their dedicated procurement services. USIQ is here to ensure a smooth procurement process, tailored to your specific needs.

## Contact USIQ for Procurement:

To learn more about how Armasight products can enhance your operations, or to inquire about procurement, please contact USIQ—our exclusive partner for Military, Law Enforcement, and Government contracts.


## Unlock the Full Potential of Your Operations

From tactical teams and law enforcement units to federal agencies, Armasight is committed to delivering reliable, high-performance thermal and night vision technology. Let us support your mission with optics that give you the edge when it matters most. Reach out to USIQ today to discuss your requirements or to start your procurement process.

**Empowering Heroes. Elevating Operations.**


# SOCIAL MEDIA CHANNELS

YouTube



YouTube channel page for Armasight USA. The header shows the YouTube logo and navigation icons. Below is a banner image of a night vision device. The channel name is "Armasight USA" with the handle "@armasight\_usa".

Instagram




Instagram profile for Armasight USA. The header shows the Instagram logo and the profile name "Armasight USA" with the handle "@armasight\_usa". The bio reads: "STOP LOOKING. START SEEING.™ Armasight is a leading brand of night vision, thermal imaging, and electro-optic devices..." with a link to "linktr.ee/armasight + 1".

X




X profile for Armasight USA. The profile picture shows a night vision device. The name is "Armasight USA" with the handle "@ArmasightUSA". The bio reads: "STOP LOOKING. START SEEING.™ Armasight is a leading brand of night vision, thermal imaging, and electro-optic devices. #ArmaCrew #ArmasightUSA".




TikTok profile for Armasight. The profile picture shows the Armasight logo. The name is "Armasight" with the handle "@armasight\_usa". The statistics show 12 Following, 2,447 Followers, and 7,809 Likes. The bio reads: "Night vision, thermal and electro-optic devices" with a link to "https://armasight.com/".

TikTok



LinkedIn profile for Armasight. The header shows the LinkedIn logo and the company name "Armasight". The bio reads: "Stop Looking. Start Seeing. Appliances, Electrical, and Electronics Manufacturing - Northbrook, IL - 797 followers - 11-50 employees".


LinkedIn



Facebook profile for Armasight USA. The profile picture shows a soldier in silhouette against a sunset. The name is "Armasight USA" with 27K likes and 28K followers. The bio reads: "Armasight started in designing the most sight became the sta more".

Facebook





3150 COMMERCIAL AVE., NORTHBROOK, IL 60062 | 888.504.ARMA

[WWW.ARMA SIGHT.COM](http://WWW.ARMA SIGHT.COM)